Mini Jupiter.01 - Product Specification



Univers - Classics among rope playground equipment

Net structures offer hours of fun and adventure on several levels – climbing and swinging, up and down, horizontally and vertically – space on earth.

The original spatial nets: Born over 40 years ago as a play concept, continuously further developed in form and detail, still popular even after several generations.

Mini Jupiter.01 – At a glance.

Product Family: Item Number: Children's Age: Fall Height (DIN EN 1176): Length x Width x Height:

Protective Surfacing Area (DIN EN 1176): Protective Surfacing Area (ASTM 1487):

Minimum space required DIN EN 1176: Minimum space required ASTM 1487: Univers 90.141.144 5 +

1.30 m (4'-1") 6.6 m x 3.6 m x 3.7 m (21'-7" x 11'-10" x 12'-2")

10.1 m x 6.6 m 10.2 m x 7.3 m (33'-4" x 23'-10")

52.6 m² 61.4 m² (660.9 sf)

Number of Foundations: Concrete Volume C20/C25: Number of skilled installers required: Installation Time without foundation: Dimensions of largest part:

Weight of heaviest part: Shipping Volume: Spare part guarantee: 6 pc. 1.3 m³ (45.9 ft³)

6 hours

3,9 m x 1,2 m x 1,1 m (12'-10 x 4'-0" x 3'-8")

80 kg (176,5 lbs) Upon request Lifelong




Berliner Seilfabrik Play Equipment Corporation 96 Brookfield Oaks Drive, Suite 140 Greenville, SC 29607


T + 1 864 627 1092 F + 1 864 627 1178

www.berliner-playequipment.com info@berliner-seilfabrik.com

Revision: April 2016 Page 1

Mini Jupiter.01 - Product Specification





Technical Data.

The following text can also be used for tenders.

- Mini Jupiter
- straight concarved slide

Members:

Frameworx-steel tubes, Ø 2 3/8" (60.3 mm); anticorrosion treatment and color finish: sandblasting and epoxy-/polyester-powdercoating.

Frameworx-aluminum ball connectors, Ø 9-13/16" (250 mm); anticorrosion treatment and color finish: sandblasting and epoxy-/polyester-powdercoating; incorporating the unique Astem TT net tensioning system, securely closed with durable ebonite caps.

Ropes:

U-Rope-round strand ropes with galvanized steel cores, Ø 5/8" (16 mm); external strands are covered with high abrasion resistant and UV-resistant polyester-yarn.

Spatial netting:

Rope crossing points localized by durable, drop forged aluminum-cloverleaf rings; in situ-replaceable rope lines (no special tools required).

Slide:

Revision: April 2016

Plastic slide made of abrasion-proofed plastic, height: 1.30 m (4'-1")





Berliner Seilfabrik Play Equipment Corporation 96 Brookfield Oaks Drive, Suite 140 Greenville, SC 29607

T + 1864 627 1092 F + 1 864 627 1178

www.berliner-playequipment.com info@berliner-seilfabrik.com