

# Tower6 – Product Specification




Illustration shows Combination of elements.

**Tower6**  
 This mysterious tower can be climbed via plate-shaped nets. Four meters above ground level, an angled reclining surface invites visitors to relax and also offers commanding views over the valleys below.

**Tower6 – at a glance.**

Product Family:	<b>Greenville</b>	Number of Foundations:	<b>Upon request</b>
Item Number:	<b>90.295.006</b>	Concrete Volume C20/C25:	<b>Upon request</b>
Children's Age:	<b>5+</b>	Number of skilled installers required:	<b>Upon request</b>
Fall Height (DIN EN 1176):	<b>-</b>	Installation Time without foundation:	<b>Upon request</b>
Length x Width x Height:	<b>4.5 m x 2.2 m x 5.4 m</b> <b>(14'-10" x 7'-3" x 17'-9")</b>	Dimensions of largest part:	<b>Upon request</b>

The protective Surfacing Area and Fall Height of our Towers & Triis depend on the chosen combination and execution and be like calculated on request you.




**Berliner**  
 Berliner Seilfabrik  
 Play Equipment Corporation  
 96 Brookfield Oaks Drive, Suite 140  
 Greenville, SC 29607

T + 1 864 627 1092  
 F + 1 864 627 1178

www.berliner-playequipment.com  
 info@berliner-seilfabrik.com

# Tower6 – Product Specification



## Technical Data.

The following text can also be used for tenders.

### Posts:

Steel posts  $\varnothing$  133 mm (5 1/4"); wall thickness 5 - 11 mm (3/16" - 3/8") with a round cast aluminum post top; anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

### Tube framework:

Stainless steel tubes;  $\varnothing$  60.3 mm (2 3/8"); connected to the posts with Terranos two-part cast aluminum connecting clamps ; anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

### Nodes:

Framework<sup>®</sup>-aluminum ball connectors;  $\varnothing$  250 mm (9-13/16"); anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

### Net rings:

Stainless steel tubes;  $\varnothing$  60.3 mm (2 3/8"), bent into rings, filled with closed meshed netting. Ring of the intermediate level with opening

### Ropes:

U-Rope<sup>®</sup>-round strand ropes with galvanized and covered wires: external strands with non-abrasive UV-resistant Polyester-yarn (no Polypropylene)

### Planar netting:

Rope  $\varnothing$  16 mm (5/8"); closed meshed; rope crossing points localized by durable, drop forged aluminum ballknots (no plastic). Openings with offset to the next net

### Bamboo panels:

Bamboo strips 90 mm, (3 1/2") mounted at a particle board made from HDPE, 19 mm (3/4") thickness, rounded edges, mounted with aluminum plate clamps to the tubes of the framework

  
**Berliner**  
Berliner Seilfabrik  
Play Equipment Corporation  
96 Brookfield Oaks Drive, Suite 141  
Greenville, SC 29607

T + 1 864 627 1092  
F + 1 864 627 1178

www.berliner-playequipment.com  
info@berliner-seilfabrik.com

