

HodgePodge

Palmetto Saucer Product Specifications


















Published: May 2022

Palmetto Saucer


HodgePodge is a clever and versatile combination of play equipment and climbing structures that can be used anywhere and for numerous activities. A calisthenics system for sport activity, climbing trees, Wasps' nest, zip lines, swings and carousels for fun and excitement.

As an accessible multi-user swing the Palmetto Saucer convinces through sharing fun. Heavy-duty engineering concealed behind a subtle, though striking design.

95.190.263

 Product Family	HodgePodge
 Length x Width x Height (m) Length x Width x Height ("'-")	3,0 x 1,0 x 2,2 --
 Protective Surfacing Area acc. to DIN EN 1176 (m) Protective Surfacing Area acc. to ASTM/CSA (m) Protective Surfacing Area acc. to ASTM/CSA ("'-")	6,5 x 3,0 -- --
 Fall Height acc. to EN 1176 (m) Fall Height acc. to ASTM/CSA ("'-")	1,04 --
 Age	3
 Minimum Space required acc. to DIN EN 1176 (m ²) Minimum Space required acc. to ASTM 1487 (ft ²)	18,9 --
 Number of Foundations	2
 Concrete Volume C20/C25 (m ³)	0,7
 Number of skilled Installers required	2
 Installation Time without Foundation	2 hours
 Dimensions of largest Part (m)	Ø 0,1 x 3,1
 Weight of heaviest Part (kg)	45
 Shipping Volume (m ³)	0,8
 Total Weight (kg)	220
 Spare Part Guarantee	Lifelong

The dimensions of the equipment and protective surfacing area have been rounded up to one decimal digit.



Technical Data

Technical changes are reserved. The following text can also be used for tenders.

Posts:

The bent steel posts with a diameter of Ø 101,6 mm (4") and a wall thicknesses of 6,3 mm (¼") are thermally galvanised to protect against corrosion and powder-coated in colour using a solvent-free epoxy/ polyester/ process. In addition they are watertight sealed with rounded aluminium tops.

Nest Swing Seat:

The nest swing seat is made of a galvanised steel tube ring, encased with shock-absorbing material and wrapped with a shock-absorbing fiber rope. The close-knit network of soft steel wire has strands covered with braided polyester yarns. The connection parts are made of stainless steel (V2A).

Suspension:

U-Rope®-round strand ropes with galvanised steel cores, external strands are covered with high abrasion-resistant and UV-resistant polyester-yarn (no Polypropylene). The diameter is Ø 16 mm (⅝") and they are connected to the joint with steel chains.