



Product Service

CERTIFICATE

No. Z2 010256 0313 Rev. 00

Holder of Certificate: **Berliner Seilfabrik GmbH & Co.**

Lengeder Straße 4
13407 Berlin
GERMANY

Certification Mark:



Product: **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713282459-02

Valid until: 2028-03-05

Date, 2023-03-14

(Jens Biesenack)

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT

CERTIFICATE

No. Z2 010256 0313 Rev. 00

Model(s):

- 90.110.120 (Cosmo Base)**
- 90.111.000 (Cosmo S Base)**
- 90.111.040 (Cosmo S.04)**
- 90.111.170 (Cosmo S.17)**
- 90.112.060 (Cosmo.06)**
- 90.112.200 (Cosmo.20)**

Parameters:

Tubes:

Frameworkx® stainless steel tubes, curved, Ø60.3 mm.

Balls:

Frameworkx® aluminium balls, Ø250 mm, sand blasted and solvent-free powder-coated.

Rope:

U-Rope® round strand rope with strand cores and rope core made of galvanised wires.

Outer strands sheathed in textured polyester yarn.

Nets:

Rope crossing points, aluminium parts (ball knots) fixed

Possible attached elements:

Access Net, Net Wall, Strap Mat Set, Banisters, Sliding Pole, Climbing Wall, Net Ramp, Climbing Ramp and Duck Jibe.

90.110.120.Cosmo Base

Dimensions (L x W x H): 4.3 x 4.4 x 3.8 m

90.111.000. Cosmo S Base

Dimensions (L x W x H): 3.4 x 3.2 x 2.9 m

90.111.040.Cosmo S.04

Dimensions (L x W x H): 5.7 x 4.6 x 2.9 m

90.111.170.Cosmo S.17

Dimensions (L x W x H): 5.59 x 6.88 x 2.88 m

90.112.060.Cosmo.06

Dimensions (L x W x H): 8.6 x 7.2 x 3.8 m

90.112.200.Cosmo.20

Dimensions (L x W x H): 8.5 x 8.9 x 3.8 m

**Tested
according to:**

EN 1176-1:2017
EN 1176-11:2014