

Woodville



**New
Designs**



Woodville

Woodville combines the natural character, warm feel and the pleasant scent of wood with the durability, stability and resilience of metal.

A fairy-tale world emerges between slanted wooden houses with sloping roofs. They stand tightly packed or are connected with rope nets and bridges where reality and fantasy merge. You can find the climbing realm of bandits, witches and goblins between the oversized windows and frazzled boarded walls.

Woodville encompasses wooden huts (shacks) resting on posts, which are characterised by a construction that appears to be crooked and random. The design evokes a feeling of an adventure playground and custom-construction. This character is emphasised by the crooked windowframes, slanted roof tiles tilted base and the boards of varying lengths along the walls.

The shacks are available in two different platform heights – Shack1 and Shack2.





Woodville Combi.02


90.224.100.2

(m) 5,9 x 6,0 x 4,0
 ("") 19-2 x 19-6 x 13-0

EN 1176 (m) 9,0 x 8,9
 ASTM/CSA (m) 9,6 x 9,5
 ASTM/CSA ("") 31-7 x 31-2

EN 1176 (m) 1,89
 ASTM/CSA ("") 6-3

3





Woodville Combi.03

90.224.100.3


(m) 7,7 x 9,9 x 4,0
 ("'-") 25-3 x 32-5 x 13-0

EN 1176 (m) 10,9 x 13,1
 ASTM/CSA (m) 11,4 x 13,6
 ASTM/CSA ("'-") 37-3 x 44-6

EN 1176 (m) 1,89
 ASTM/CSA ("'-") 6-3

3

This is a large combination of Shack1 and Shack2. Two neighbouring huts share one post and a further hut is connected via a rope bridge. Two slides and various elements as well as different platform heights ensure a multi-faceted climbing landscape.



Woodville Combi.01

90.224.100.1


(m) 3,6 x 6,0 x 4,0
 ("'-") 11-7 x 19-6 x 13-0

EN 1176 (m) 9,0 x 6,8
 ASTM/CSA (m) 9,6 x 7,2
 ASTM/CSA ("'-") 31-6 x 23-8

EN 1176 (m) 1,89
 ASTM/CSA ("'-") 6-3

3

The Woodville Combi.02 comprised of two huts and different heights share a common support post. The larger of the two huts is equipped with a connecting net, which is combined with an access net and thus offers an exciting challenge. The two huts are connected through a balcony which can be climbed via a rope ladder or using the rocking-plate ascent.





Woodville Combi.04

90.224.100.4


(m) 1,9 x 8,9 x 4,0
 ("'-") 6-3 x 29-2 x 13-0

EN 1176 (m) 4,9 x 12,4
 ASTM/CSA (m) 5,6 x 12,6
 ASTM/CSA ("'-") 18-3 x 41-3

EN 1176 (m) 1,86
 ASTM/CSA ("'-") 6-2

3

This combination of shacks which are connected through a support post, has an entrance in the shape of a triangular balcony. A rope ladder, rocking-plate ascent, climbing rope and an access net ensure a variety of climbing options, before you swiftly slide back down the slide.



Woodville Combi.05

90.224.100.5


(m) 3,8 x 7,1 x 4,0
 ("'-") 12-4 x 23-4 x 13-0

EN 1176 (m) 7,2 x 10,2
 ASTM/CSA (m) 8,0 x 10,9
 ASTM/CSA ("'-") 26-1 x 35-6

EN 1176 (m) 1,89
 ASTM/CSA ("'-") 6-2

3

The Woodville Combi.05 combines two shacks of different heights with a curved tunnel slide. The transparent net floors and the crossing net ensure a special climbing challenge for children.





Shack1.01


90.224.010.1

(m) 5,3 x 2,0 x 3,8
 ("'-") 17-2 x 6-4 x 12-3

EN 1176 (m) 8,8 x 5,0
 ASTM/CSA (m) 8,9 x 5,6
 ASTM/CSA ("'-") 29-2 x 18-3

EN 1176 (m) 1,49
 ASTM/CSA ("'-") 4-11

3



Shack2.01


90.224.020.1

(m) 3,4 x 6,9 x 4,0
 ("'-") 11-0 x 22-6 x 13-0

EN 1176 (m) 9,9 x 6,8
 ASTM/CSA (m) 10,6 x 7,1
 ASTM/CSA ("'-") 34-6 x 23-1

EN 1176 (m) 1,89
 ASTM/CSA ("'-") 6-3

3



Available in various Colours

Shack2 with its platform height of 1.9 m is the larger one of the two systems. In this variant, the posts are slanted inward. The ascent of Shack2.01 nearly reaches 2 metres using the access net or the rope ladder to reach the playhouse. A curved slide sweepingly brings you back to the ground.



Basics Woodville

In contrast to typical wooden playground units, Woodville distinguishes itself through its individual design and durability. That is especially achieved through the use of high-quality materials and their high-grade finish.



The Wood
Wood convinces through its warm surface feel, the natural character and its pleasant scent. All wooden posts are made from laminated timber.



The Terranos Clamp
The Terranos Clamp made from aluminium guarantees a long-lasting and secure fastening of other play elements of Berliner Seilfabrik and the possibility to adjust the heights.



The Roof
The HDPE tent-roof made from weather boarding provides a realistic looking shed character. In addition, it constructively protects the wooden components that are located under the roof from weather effects. The roof is available in all the colours of our HDPE-colour palette.



The Windows
The crooked windows present a real eye-catcher. Oversized openings framed in white are a striking property of Woodville. At the same time, the large windows provide a high level of transparency.



The Balls
The system balls made from aluminium are a tried and tested connection element of Berliner. The steel posts are thus elegantly connected to the wooden posts. The construction prevents the direct contact of the wood with the ground and thereby protects it from rot due to lasting moisture. An extra post shoe is therefore not needed.




The Posts
The bottom part of the post is made of steel. As a standard coating, a two-ply solvent-free epoxide-polyester coating is applied. This makes the steel resistant against corrosion and due to the huge selection of available RAL colours, individual customer desires can be fulfilled. The steel posts offer a maximum amount of modularity – whether bridges or nets – diverse elements or other products of Berliner can easily be connected to the Terranos system components.




Add-ons and Combination Possibilities


The Woodville shacks are available with different elements options and in various combinations as is typical with the Berliners. Due to the mirrored inclination, the higher and lower houses can share a post and thereby form a combination. In doing so, you have the choice of a triangular or rectangular balcony between the huts. Choose among our wide pallet of entry options and bridges and build your own climbing landscape with Woodville.



Access Net
The entry net offers an exciting challenge for little elves and magicians.



Rope Bridge
The classic wobbly connection element permits the most secure crossing from rung to rung.



Crossing Net
The crossing net requires the highest amount of focus from the climbing goblins. You only make it across if you carefully step on to the rope.



Rocking Plates
The new rocking plates at varying heights offer a thrilling alternative to master the ascent and descent.



Climbing Rope
The climbing rope poses a challenge even for advanced climbers.



Rope Ladder
The rope ladder offers a wobbly ascent into the hut.

Design Colours of Tubes and Posts (matte finish)

	RAL 9017 Traffic black
	RAL 9010 Pure white
	RAL 9007 Grey aluminium
	RAL 1001 Beige
	RAL 8001 Ochre brown
	RAL 8012 Red brown
	RAL 3012 Beige red
	RAL 3002 Carmine red
	RAL 2009 Traffic orange
	RAL 4005 Blue lilac
	RAL 3015 Light pink
	RAL 5024 Pastel blue
	RAL 5012 Light blue
	RAL 5017 Traffic blue
	RAL 5021 Water blue
	RAL 6028 Pine green
	RAL 6034 Pastel turquoise
	RAL 6021 Pale green
	RAL DS 120 70 75 Lime
	RAL 1028 Melon yellow

New

Classic Colours of Tubes and Posts (glossy finish)

	RAL 9006 White aluminium
	RAL 2009 Traffic orange
	RAL DS 010 40 50 "Cosmo pink"
	RAL 3020 Traffic red
	RAL 3004 Purple red
	RAL 5022 Night blue
	RAL 5010 Gentian blue
	RAL 5021 Water blue
	RAL 6009 Fir green
	RAL 6018 Yellow green
	RAL DS 100 80 80 "Cosmo yellow"
	RAL 1018 Zinc yellow

Basic Colours of Ropes

	Red
	Blue
	Black
	Yellow
	Green
	Orange
	Silver
	Beige
	Olive green
	Lilac
	Lime

New

New

Only available for Standard 16 mm Rope

	Salamander
	Moose
	Los Netzos
	Tempelhof

Colours of HDPE-Panels (19 mm)

	Red
	Black
	Blue
	Green
	Yellow
	White
	Lilac
	Orange






Berliner

Berliner Seilfabrik GmbH & Co.
Lengeder Straße 2/4
13407 Berlin

T + 49 (0)30 41 47 24 - 0
F + 49 (0)30 41 47 24 - 33

info@berliner-seilfabrik.com
www.berliner-seilfabrik.com



 **Berlin**
Partner