

Bouncers.02

HodgePodge



Published: April 2024
















Bouncers.02

Product Specification

Play, sports, learning and therapy are just a few keywords that belong to trampolines. With growing popularity, they are hardly thinkable off the playground. The devices are characterised by a joint-gentle jump, as well as a pleasant fall and landing behavior.

They are optimally tailored to the body of adolescent children. The Kids Bouncees trampolines are available in different sizes. Round, square and rectangular shapes – there will be something for every design concept.

90.660.012.410.6

| | | |
|--|--|---|
|  | Product Family | HodgePodge |
|  | Length × Width × Height (m) Length × Width × Height ("") | 1,44 × 1,44 × 0,03 4-9 × 4-9 × 0-2 |
|  | Protective Surfacing Area acc. to DIN EN 1176 (m) Protective Surfacing Area acc. to ASTM/CSA (m) Protective Surfacing Area acc. to ASTM/CSA ("") | 5,44 × 5,44 |
|  | Fall Height acc. to EN 1176 (m) Fall Height acc. to ASTM/CSA ("") | 1 |
|  | Age | 3 |
|  | Minimum Space required acc. to DIN EN 1176 (m²) Minimum Space required acc. to ASTM 1487 (ft²) | 29,6 |
|  | Number of Foundations | 1* |
|  | Concrete Volume C20/C25 (m³) Concrete Volume C20/C25 (ft³) | 0,8* 26,5* |
|  | Number of skilled Installers required | 2 |
|  | Installation Time without Foundation | 3 hours |
|  | Dimensions of largest Part (m) Dimensions of largest Part ("") | 2,0 × 0,3 × 0,3 6-7 × 1-1 × 0-10 |
|  | Weight of heaviest Part (kg) Weight of heaviest Part (lbs) | 55 121,3 |
|  | Shipping Volume (m³) Shipping Volume (ft³) | 1,8 63,6 |
|  | Total Weight (kg) Total Weight (lbs) | 220 485 |
|  | Spare Part Guarantee | Lifelong |

The dimensions of the equipment and protective surfacing area have been rounded up to one decimal digit.

* Installation without concrete bedding possible



Technical Data

Technical changes are reserved.
The following text can also be used for tenders.

Mesh of Belt:
reinforced mesh of belt material features a high level of vandalism safety. It's also UV resistant and weather-proof.

Frame:
special steel, for ground level installation, hot-dip galvanized.

Protection system:
Bonded impact protection system with rounded edges on the inside.



1:100