

Terrano.2059 – Product Specification



Terranos net landscapes – straight posts and connecting elements

Our netscapes offer children of all ages plenty of space for any kind of climbing, crawling, balancing and other physical activities. The highly accessible components are also the ideal place to get engaged in imaginative play or just hang around and relax.

The range of rope accessories can turn any space into a netscape. Whether straight or sloping, there is always space for a two-dimensional or a hand-over-hand climbing component. And if a tree should be in the way, we simply integrate it and make it the focal point of your playground.

Terrano.2059 – at a glance.

Product Family:	Terranos & Terranova	Number of Foundations:	15 pc.
Item Number:	95.172.059	Concrete Volume C20/C25:	8.2 m³ (289.6 ft³)
Children's Age:	5+	Number of skilled installers required:	3
Fall Height (DIN EN 1176):	2.50 m (8'-2")	Installation Time without foundation:	16 hours
Length x Width x Height:	7.7 m x 21.1 m x 3.5 m (25'-4" x 69'-3" x 11'-6")	Dimensions of largest part:	4.8 m x 0.8 m x 0.6 (15'-9" x 2'-8" x 1'-11")
Protective Surfacing Area (DIN EN 1176):	10.7 m x 24.6 m	Weight of heaviest part:	100 kg
Protective Surfacing Area (ASTM 1487):	11.4 m x 25.4 m (37'-4" x 83'-3")	Shipping Volume:	Upon request
Minimum space required DIN EN 1176:	160.0 m²	Spare part guarantee:	Lifelong
Minimum space required ASTM 1487:	178.6 m² (1,922.4 sf)	Certificate according to DIN EN 1176:	No.: Z2.16.01.10256.255 TÜV Product Service


Berliner
 Berliner Seilfabrik
 Play Equipment Corporation
 96 Brookfield Oaks Drive, Suite 140
 Greenville, SC 29607


T + 1 864 627 1092
 F + 1 864 627 1178

www.berliner-playequipment.com
info@berliner-seilfabrik.com

Revision: April 2016

Page 1


Terrano.2059 - Product Specification



Technical Data.

The following text can also be used for tenders.

- Wasps nest
- Space cell
- Hand-over-hand-loop-rope
- Harp net
- Climbing rope
- 2 Balancing cable
- 4 planar nets and a transition net
- Suspension bridge
- Platform
- Rubber access ramp
- Straight box slide
- Climbing wall



Ropes:

U-Rope®-round strand ropes with galvanized and covered wires: external strands with non-abrasive UV-resistant Polyester-yarn (no Polypropylene); rope-diameter Ø 16 mm (5/8")

Posts:

Steel pipes Ø 133 mm (5 1/4"); wall thickness 5 - 10 mm (3/16" - 3/8") with a round cast aluminum post top; anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

Terranos clamps:

Two-part cast aluminum connecting clamps for the height-adjustable connection of rope elements or steel pipes to Terranos steel posts; anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

Wasps nest:

Circumferential cables are round strand ropes with spring steel core, Ø 16 mm (5/8"); ball-shaped net connected to steel ring Ø 1530 mm (5'- 1/4") and pipe diameter 48.3 mm (1'- 7/8") with cast aluminum rope clamps; steel ring suspended from cables to three steel posts

Space cell:

Twelvefold suspended 3d-net cell; all suspension cables connected to steel posts with cast aluminum Terranos clamps; rope Ø 16 mm (5/8")

Hand-over-hand-loop-rope:

All ropes Ø 20 mm; length per loop approx. 110 mm clear diameter; loops durable fixed to a horizontal rope with aluminum ferrules



Berliner Seilfabrik
Play Equipment Corporation
96 Brookfield Oaks Drive, Suite 140
Greenville, SC 29607

T + 1 864 627 1092
F + 1 864 627 1178

www.berliner-playequipment.com
info@berliner-seilfabrik.com

Terrano.2059 - Product Specification



Technical Data.

Harp net:

Two bended edge ropes with five vertical connection cables; all ropes \varnothing 16 mm (5/8"); connected at four points to steel posts with cast aluminum Terranos clamps

Climbing rope:

All ropes \varnothing 20 mm; vertical ropes with durable ebonite cylinders; distance between cylinders approx. 300 mm (11-13/16"); ebonite cylinders are fixed to the rope with aluminum ferrules; suspended from horizontal rope connected to steel posts

Balancing rope:

Ropes \varnothing 16 mm (5/8"); height of handrail approx. 900 mm (2- 7 1/2"); consists of 1 balancing cable and 1 handrail; rope ends are fixed with cast aluminum Terranos clamps to steel posts

Planar nets:

Rope \varnothing 16 mm (5/8"); mesh size minimum 250 x 250 mm (9-4/5"); rope crossing points localized by durable, drop forged aluminum ballknots (no plastic)

Suspension bridge:

Rope \varnothing 16 mm (5/8"); mesh size minimum 250 x 250 mm (9-4/5" x 9-4/5"); rope crossing points localized by durable, drop forged aluminum ballknots (no plastic); with in situ-replaceable square rungs comprised of stainless steel profile with aluminum end caps

Platform tower:

HPL-platform; thickness 19 mm (3/4"); connected to steel pipes with cast aluminum panel clamps

Slide:

Straight box slide made of stainless steel; the cheeks are welded with stainless steel handrails; afterwards smoothed and polished

Rubber access ramp:

Rubber comprised of durable, vandal-resistant conveyor belt material; rope \varnothing 16 mm (5/8")

Climbing wall:

HDPE-wall; thickness 19 mm (3/4"); connected to steel pipes and posts with cast aluminum panel clamps and Terranos clamps; climbing handles: rosin with quartz sand


Berliner
Berliner Seilfabrik
Play Equipment Corporation
96 Brookfield Oaks Drive, Suite 140
Greenville, SC 29607

T + 1 864 627 1092
F + 1 864 627 1178

www.berliner-playequipment.com
info@berliner-seilfabrik.com

